


KUPO Cable Crossover

KUPO Cable Crossovers are engineered to protect electrical cables and hoses against both vehicle and pedestrian traffic. Manufactured from durable, UV-stabilized polyurethane, they feature an anti-slip surface and a high load-bearing capacity suitable for demanding environments.


An interlocking male/female system allows multiple units to be connected for extended coverage, making them ideal for event venues, stages, studios, and outdoor temporary installations.

Available in 3 to 5 channel models, the operation temperature is -40 C° to 49 C° and the load bearing capacity is 2,000 kg. It is suitable for indoor and outdoor use.




Anti-slip textured surface and heavy-duty polyurethane construction, grooved for accommodating cables, provides superior wire protection

Bright yellow lid for high visibility




Clear warning sign on the cover indicates a potentially hazard condition



Dog bone connector, featuring male and female end, makes multiple cable crossover in a row

KCG-330




3 CABLE DUCTS

Insulated: YES Height: 50mm
 Length: 1000mm Ducts Height: 32mm
 Width: 300mm Max. Load: 2,000Kgs

9kg

KCG-445




4 CABLE DUCTS

Insulated: YES Height: 70mm
 Length: 900mm Ducts Height: 50mm
 Width: 500mm Max. Load: 2,000Kgs

14kg

KCG-535



5 CABLE DUCTS

Insulated: YES Height: 50mm
 Length: 900mm Ducts Height: 34mm
 Width: 500mm Max. Load: 2,000Kgs


12.5kg



Solid nylon rod fixed to support the hing

Premium Waterproof Power Connection Box

Protect your electrical connections with IP65-rated waterproof connector box. Made of UL94-V2 flame retardant PC material, this patent and premium protection box is designed for the versatile cable set connection applications including Soca 19-pin, European, and American single pole connectors and extension cables. The detachable silicone bushing accommodates 17-22mm cable diameters and can be easily customized to meet specific requirements. Designed for quick installation and minimal maintenance, this robust box is ideal for any outdoor application where protection from the elements is crucial. Enhance your equipment safety and reliability with this durable waterproof connector box – the perfect solution for professionals who demand dependable performance in challenging environments.




Patent No.: ZL2023 3 0334789.4

Product Number	Product Details
PWP-550	Premium Waterproof Power Connection Box




IP65 Superior Protection

Effectively shielding your electrical connections from rain and moisture, and ensures your equipment continues to operate flawlessly even during adverse weather conditions.



Exceptional Compatibility

The box accommodates a wide range of connector types, including Soca 19-pin, European, and American standards, providing the flexibility for various applications across different fields.



Detachable Silicone Bushing

Accommodates cable diameters from 17-22mm with a quick-change design for effortless adaptation and replacement. Custom sizing options available to precisely match your specific project requirements.



Robust and Flame Retardant

Crafted from UL94-V2 rated polycarbonate, offering superior durability with advanced fire resistance. This premium material ensures critical safety protection in challenging environments.

KUPO Cable Holder

Mounted with large metal eyelet, this cable holder is made with a sturdy Nylon loop and hook with excellent holding strength for handling heavy weight. Helps to keep cables in place and well-organized. With carabiner and additional clamp, cables can be attached on the truss, tube or pipe without much effort. Handy write-on area for custom identification and labeling. Maximum cable bundle diameter 10cm. Pack of 5 with twist locking aluminum carabiner.



EZ440CH-B Cable Holder

Maximum cable bundle diameter 10cm.
Pack of 5 with twist locking aluminum carabiner.



BG4506 6 Inch Heavy Duty Black Ball Bungees

Each bungee cord measures (4.5mm) 3/16" in diameter and has an attached black plastic ball measuring 28mm (1-1/8") in diameter. Set includes 50 ball bungees. Easy to use, quick to install. Just feed the elastic loop through a grommet until the plastic ball is flush, then attach the loop to a fixed point to secure a tarp. Great for securing textile on the butterfly frame, cables, stands, hoses, camping and tying down tarps and shades, etc. Elastic cord design allows for stretching and variations in length from 6" up to 8".

KUPO Elastic Cable Tie

The elastic cable tie is made of stretchable and durable rubber material with wooden toggle allowing you to simply pull the elastic and over the toggle to assure a secure tie. Perfect cable management solution to keep your cables neatly coiled and free from damaging kinks. These great handy elastic cable ties are must-have for photographers movie makers, musicians, and audio professional to organize cords, cables, and stretching tarps.



Part Number	Description
BG5006R	ELASTIC CABLE TIE (10PCS/PACK) 6.0MM(W)* 5"(L)-RED
BG5006O	ELASTIC CABLE TIE (10PCS/PACK) 6.0MM(W)* 5"(L)-ORANGE
BG5006G	ELASTIC CABLE TIE (10PCS/PACK) 6.0MM(W)* 5"(L)-GREEN
BG5006BK	ELASTIC CABLE TIE (10PCS/PACK) 6.0MM(W)* 5"(L)-BLACK
BG5006BL	ELASTIC CABLE TIE (10PCS/PACK) 6.0MM(W)* 5"(L)-BLUE
BG5006Y	ELASTIC CABLE TIE (10PCS/PACK) 6.0MM(W)* 5"(L)-YELLOW
BG5006N	ELASTIC CABLE TIE (10PCS/PACK) 6.0MM(W)* 5"(L)-NATURAL
BG5006M	ELASTIC CABLE TIE (10PCS/PACK) 6.0MM(W)* 5"(L)-MIXED COLOR



KU-hand Glove

KU-HAND is designed for multi-task to protect users. Ergo-oriented brings comfort fit to all users. Padded mesh on leather top is for excellent ventilation; two-way stretch creates flexibility. Synthetic leather palm is soft and durable. Extra leather layer on palm, index finger and thumb for better strength and protection. Smooth texture of fingers and reinforced fingertips make perfect on handling objects and reduce wear.




YOUTUBE
KUPO KU-HAND GRIP
GLOVE (KH-55 SERIES)

KH-55MB KU-Hand (Medium)

KH-55LB KU-Hand (Large)

KH-55XLB KU-Hand (Extra Large)

KH-55XXLB KU-Hand (Double Extra Large)



GC-2525BK Glove Gripper (Black Label)

GC-2525BN Glove Gripper (Brown Label)

Made of heavy duty 25cm wide nylon strap with a powerful alligator spring clip, the Kupo Glove Gripper is designed for secure your gloves, hats & tools and keep them handy at all times. Features an instant strap button allow to easily attaches to your belt loop, mic loop, d-ring, tool belt or anything else you can find.



KCP-349 Utility Glove Gripper

Primary designed for holding a work glove with the PVC coated spring clamp, the utility glove gripper comes with a swivel snap locking hook allowing you to keep anything clipped on a waist belt or tool bag. In addition, the utility glove gripper has many different uses for example: clipping tools, golf towels, hats, wet suits, back packs, and more.



With adhesive lined up inside, it is made for providing excellent electrical insulation and protection to cable joint and termination. High impact, abrasion and corrosion resistance. UV and waterproof while sealed. Easily fit over irregular shape and large connectors.



KAMT-75 Adhesive Heat-Shrink Tube

KAMT-55 Adhesive Heat-Shrink Tube

KAMT-28 Adhesive Heat-Shrink Tube



Specification			
Part Number	KAMT-28	KAMT-55	KAMT-75
Size (as supplied) /mm	28	55	75
Size (as recovery) /mm	6	16	22
Wall Thickness (as recovery) / mm	2.5	2.7	3.0
Standard Length	1.22 m		
Operatino Temperature (Degree)	-55~100		
Min. Shrink Temperature (Degree)	80		
Min. Fully Recovery Temperature (Degree)	120		
Water Absortion	< 0.15%		
Shrinkage Ratio	3:1		

KUPO Utility AC Bag

Designed primarily for camera assistants in the film industry and suitable to anyone who needs rapid access to various tools. The Kupo Utility AC bag is made by 1,000 Denier cordex textured nylon fabric with a water resistant polyurethane coating on the inside. Inside the main compartment is a separate pouch, as well as a Velcro see-through mesh pocket on the underside of the main flap which is ideal for storing media cards and other small items. The bag fits utility belts up to 2 inches in width allowing you to take the bag on and off super easily. Exterior of the bag has 6 slip pockets (two of them are with a Velcro flap) which can hold dry-erase markers, sharpies, pens, chalk, pencils, hex keys, screw drivers, Leatherman and Maglite for easy access. An ideal AC bag that keeps all your essential tools and accessories organized.



YOUTUBE
KUPO UTILITY
AC BAG (KSB-010)



KSB-010 Utility AC Bag

Exterior Size: 24.5cm(9.65")(L) x 10cm(3.94")(W) x 16cm(6.3")(H)
 Interior Size: 20cm(7.87")(L) x 9cm(3.54")(W) x 14.5cm(5.71")(H)

More Features:




Velcro top flap ensures tools won't accidentally fall out when on a ladder.



A slip bag on the side of the bag with a Velcro flap for additional storage.



The top flap can be folded and attached to the cover for easy access without noise.



D-Rings on one side of the bag for attaching a gaffa tape holder strap or glove gripper.



The side metal hook is perfect for mounting a tape measure.



Can be easily carried on a 2.5" width belt.



Features:

1. Fabricated of 2"(48mm) durable nylon fabric
2. Compatible with KUPO Utility AC Bag
3. Fit waist size 30"-45"
4. Quick release buckle with safety lock

KSB-002 Tool Belt

This 2"(48mm) belt is designed to carry add-on accessories for camera man or film screws. Made of durable nylon fabric to hold tool pouches or storage bags. Velcro-adjustable to fit the waist size from 30" up to 45". Heavy-duty quick release buckle with safety lock prevents accidental release.

KUPO EZ-TIE

The KUPO EZ-Tie provides a simple and convenient solution for bundling and organizing a wide range of cables. Constructed from durable nylon with a hook-and-loop fastening system, it is lightweight, reusable, and ideal for repeated use in professional production environments.

Designed with an eyelet, it can be easily attached to cables, hooks, or rigging accessories for quick access and secure storage.

Technical Specifications:

Environmental & Durability Tests

- Successfully tested at +93 °C and -56.7 °C for 1,000 hours of continuous mating without failure
- Operating temperature range: -20 °C to +80 °C

Mechanical Performance

- High cycle life: over 10,000 open/close cycles
- Hook-and-loop retention maintained after long-term thermal cycling

Material Characteristics

- Washable design suitable for repeated use
- UV-resistant material prevents fading or discoloration under sunlight exposure

Large EZ-TIE



EZ560-B Black

Size: 5.0 x 60 cm / Per Pack: 5 pcs



EZ560-R Red

Size: 5.0 x 60 cm / Per Pack: 5 pcs



EZ560-Y Yellow

Size: 5.0 x 60 cm / Per Pack: 5 pcs



EZ560-BL Blue

Size: 5.0 x 60 cm / Per Pack: 5 pcs



EZ560-W White

Size: 5.0 x 60 cm / Per Pack: 5 pcs



Small EZ-TIE



EZ241-B Black

Size: 2.0 x 41 cm / Per Pack: 10 pcs



EZ241-R Red

Size: 2.0 x 41 cm / Per Pack: 10 pcs



EZ241-BL Blue

Size: 2.0 x 41 cm / Per Pack: 10 pcs



EZ241-W White

Size: 2.0 x 41 cm / Per Pack: 10 pcs



EZ241-Y Yellow

Size: 2.0 x 41 cm / Per Pack: 10 pcs



KUPO MEZ-TIE

The KUPO MEZ-TIE are lighter and thinner than the deluxe EZ-TIE versions, yet remain exceptionally strong. Each tie features an opening in the head through which the tail is inserted to secure the cable snugly. They are available in five color options, allowing easy identification and categorization of cables.



MEZ220-B Black

20 mm(W1) x13 mm(W2)x200mm(L) / 50 pcs



MEZ220-R Red

20 mm(W1) x13 mm(W2)x200mm(L) / 50 pcs



MEZ220-Y Yellow

20 mm(W1) x13 mm(W2)x200mm(L) / 50 pcs



MEZ220-BL Blue

20 mm(W1) x13 mm(W2)x200mm(L) / 50 pcs



MEZ220-W White


20 mm(W1) x13 mm(W2)x200mm(L) / 50 pcs



YOUTUBE
KUPO SIMPLE CABLE
TIES (MEZ-TIE)



EZ Tie Petite is a small cable holder ideal for USB and microphone cable. It keep tiny cable neat and trim without using bulky cable tie. Two perforated slots for double wrap with cable firmly at all times. Each pack comes with 7 units. Reusable and easy to use.





MEZ-P01B Black

EZ Tie Petite, 7pcs per pack

MEZ-P01W White

EZ Tie Petite, 7pcs per pack

- Keep small cable neat and trim.
- Two perforated slots for double wrap with cable firmly at all times.



The Adhesive Hook & Loop Tape is made from high-quality nylon fabric with a superior hot-melt adhesive, providing excellent and reliable holding strength when the hook and loop surfaces engage.

Each roll is 25 mm (1") wide and 5 meters long, offering a versatile and easy-to-use fastening solution.


Simply cut the desired length and apply it to the intended item. It is suitable for smooth, flat, and clean surfaces such as walls, plastic, glass, wood, and similar materials.

Each package includes:


- 1 x 5 m hook tape
- 1 x 5 m loop tape

Adhesive Feature

- Loop Tack: 3.3 kgs (+/- 0.5) kg/in²
- Peel Adhesion: 3.2 kgs (+/- 0.5) kg/in²
- Holding Power: 4 psi (12 hrs)
- SAFT Test: 65 (+/-5) Celsius degree



Backing with superior adhesive.



Supplied with 1"(25mm) width x 5 meter long.



Application:

Upgrade your CROXS case with an additional storage space.



Attach the loop tape on the CROXS case.



Apply a car trunk storage bag.

EZ2500-B Adhesive Hook & Loop Tape

2.5cm(W) x 5.0m(L), Black


Material: Nylon fabric with hot melt pressure sensitive adhesive. High & Low temperature applicable (from 0 to 65°C)

KUPO MEZ Strep

The KUPO MEZ Strap grips and secures any cabling or wiring you wrap it around. It comes in a seamless roll that can be easily cut to your desired length, making it ideal for organizing loose cables or irregularly shaped gear. Create your own custom-length cable tie for any application. Reusable and highly versatile. Available in six colors.

Specification

- Material: Nylon (hook & brushed fabric)
- Peel Strength: 25g/cm, 3000 times
- Shear Strength: 750g/cmsq, 3000 times
- Working Temperature: -20°C to 65°C



MEZ-S1605BL Blue
Size: 16mm (width) x 5M (length)



MEZ-S1605R Red
Size: 16mm (width) x 5M (length)



MEZ-S1605Y Yellow
Size: 16mm (width) x 5M (length)



MEZ-S1605G Green
Size: 16mm (width) x 5M (length)



MEZ-S1605W White
Size: 16mm (width) x 5M (length)



MEZ-S1605B Black
Size: 16mm (width) x 5M (length)



MEZ-S3005BL Blue
Size: 30mm (width) x 5M (length)



MEZ-S3005R Red
Size: 30mm (width) x 5M (length)



MEZ-S3005Y Yellow
Size: 30mm (width) x 5M (length)





MEZ-S3005G Green
Size: 30mm (width) x 5M (length)



MEZ-S3005W White
Size: 30mm (width) x 5M (length)



MEZ-S3005B Black
Size: 30mm (width) x 5M (length)



KUPO Gaffa Tape

Kupo offers a highly versatile and widely used Gaffa Tape designed to meet the demanding holding and sealing needs of the professional stage, photography, motion picture, and television industries. Formulated with a blend of natural rubber and synthetic resin adhesive, it provides excellent tack and adhesion across a wide temperature range.

Kupo Gaffa Tape delivers exceptional tensile strength while still maintaining an easy-to-tear hand-feel, making it both durable and convenient for fast on-site applications.

Features

- Non-transferring adhesive tape; clean removal, leaving without residual.
- Backing Material: Cloth with PE coated.
- Adhesive: Natural rubber base.
- Heat Resistance: 80 degree C / 180 min.
- Tensile Strength: 12.5 (KGF / 25 mm).
- Feasible for smooth, rough and irregular surface.



Gaffa Tape



GT-515B
48mm(W) x 15yd (L)



GT-515W
48mm(W) x 15yd (L)



GT-515GY
48mm(W) x 15yd (L)



GT-515R
48mm(W) x 15yd (L)



GT-515Y
48mm(W) x 15yd (L)



GT-515GN
48mm(W) x 15yd (L)



GT-515BU
48mm(W) x 15yd (L)



GT-550W
48mm(W) x 50m (L)



GT-550G
48mm(W) x 50m (L)



GT-550GN
48mm(W) x 50m (L)

Matte Gaffa Tape



GTM-515B
48mm(W) x 15yd (L)



GTM-515W
48mm(W) x 15yd (L)



GTM-550B
48mm(W) x 50m (L)



GT-550CKGN
48mm(W) x 50m (L)



GTM-550G
48mm(W) x 50m (L)



GTM-550LGN
48mm(W) x 50m (L)




GTM-550BU
48mm(W) x 50m (L)



KUPO Cloth Spike Tape

KUPO Cloth Spike Tape features highly visible fluorescent colors with a matte finish, making it ideal for a wide range of applications in the audio/visual, television, photography, theatrical, and motion picture industries. It provides clearly identifiable marks for actors, crew members, musicians, and camera operators, and is also suitable for color-coding, labeling, and general marking tasks.

This multi-purpose tape tears easily by hand yet remains durable in demanding environments. It delivers excellent holding power, high tensile strength, and is fluorescent-reactive under black light, ensuring visibility in both standard and low-light production settings.



Easy to tear



Features

- Professional grade gaffer's tape
- High tensile strength and holding power
- Easy-to-tear by hand, and Writable surface
- Clean removal, without leaving residue

Specification

- Backing Material: Matte-Finish Coated Cloth
- Adhesive Material: Synthetic Rubber
- Tensile Strength: 87.6N/10mm
- Operating temperature: 10~90 degree C



Diverse fluorescent colors

Tapes in Length 15 yard / Width 12mm



CSS-1215BU Blue




CSS-1215GN Green



CSS-1215OG Orange



CSS-1215PK Pink



CSS-1215Y Yellow

Tapes in Length 15 yard / Width 24mm



CSS-2415BU Blue



CSS-2415GN Green



CSS-2415OG Orange



CSS-2415PK Pink



CSS-2415Y Yellow

KUPO Glow-in-dark Tape

KUPO Glow-in-the-Dark Tape is ideal for applications that require visible guidance when luminaires are switched off. Its luminous pigment can be activated by various light sources, including natural light, LED fixtures, and UV black light. After 10 minutes of exposure, the tape provides several hours of glow, and can be reactivated repeatedly without degradation.

It can be easily cut to the desired length and offers reliable on-site safety marking, making it suitable for stage, studio, emergency pathways, and other low-light environments.



GT-2550
Glow in Dark Tape

Width: 25mm
Length: 5 meters



GT-5050
Glow in Dark Tape

Width: 50mm
Length: 5 meters



Peel off the protection film and here to go



Luminous effect in the dark



Easy to cut in lengths



GT-0345 Gaffers Tape Holder Strap

Designed for easy to carry gaffers, spike & rolls of electrical tape on your belt or equipments to keep your hand free to work. Constructed from quality carabiner clip with chrome 'O' ring on a safety cable fabricated of galvanized steel wire (dia.3mm/ Length: 450mm) ensures a long lasting, durable product.



GT-0345-B Gaffers Tape Holder Strap

Designed for easy to carry gaffers, spike & rolls of electrical tape on your belt or equipments to keep your hand free to work. Constructed from quality carabiner clip on a safety cable fabricated of galvanized steel wire (dia.3mm/ Length: 450mm) ensures a long lasting, durable product. Safety cable is coated with transparent PVC plastic making the operation smoother.



GT-2540BK Gaffer Tape Holder Strap With Spring Hook (Black Label)

GT-2540BN Gaffer Tape Holder Strap With Spring Hook (Brown Label)

Constructed from durable nylon fabric, the Kupo gaffers tape holder strap, measured 25cm in length and 4cm in width, designed for easy to carry gaffers, spike & rolls of electrical tape on your belt to keep your hand free to work. It comes with aluminum spring hook that secures the holder to your belt effortlessly. The rigid release buckle also allows you to quick and secure put your tapes or tools on and off from the holder strap.



KD-C26 Cable Clip For Tube Size: 22~26 mm

The cable clips keep your cable and hex wrench gathered to the light stand. (Set of 4)

Specification

- Material: Polyethylene Film
- Adhesive: N/A
- Tape Thickness: 0.05mm (2 Mils)
- Tape Width: 75mm (3 inches)
- Tape Length: 100m (328 feet)


Features

- Easy to use, high visibility
- No sticky, glue residual free
- Strong, durability and reusable
- Yellow color tape printed legend "CAUTION"



GTB-001 Barrier Tape

Size: 7.5 cm (W) x 100M (L) x 0.05 mm (T)
Color: Yellow with Black print (Caution)



KD-C40P Owl Clip (For Tube Size: 40mm to 50mm)

KD-C25P Owl Clip (For Tube Size: 25mm to 35mm)

Owl cable clips are designed to hold the power cable along with the lighting stand or round tube. Made of durable yet flexible injection PC in transparent finish. Accommodate two O.D. 10mm and one O.D. 6.5 mm wires. Reusable and easy to mount onto 40-50 mm tube in one hand operation. (Set of 4)



KD-C55 Cable Clip (For Tube Size: 50mm to 55mm)

This cable clip fits tube sizes from 50mm to 55mm and it can keep your cable gathered to a light stand. The extra Allen wrench holders allow storing wrenches on the light stand to ensure this essential tool is always on hand. (Set of 4)